



NadieMeLlamaGallina.com

Porque Yo Lo Reparo

Step by step tutorial: of Huawei P20 Rear cameras

For this tutorial you will need the following spared parts and tools that you cant get at our online store Impextrom.com
Click on a tool for visit the website.



Rear camera
12Mpx/20 Mpx dual
for Huawei P20, EML-
L29

5,07 €



SIM card removal
tool for all brands

1,61 €



Opening tool
Smartphone, tablet

2,19 €



Pinza antiestática
ESD redondeada

3,06 €



Special SAT 0.75mm
high friction PVC pick

1,07 €



PREMIUM
screwdriver with 24
magnetic
replacement bits

10,41 €



Touch ESD glove, for
antistatic protection,
size M

4,16 €



Antistatic and ESD
tactile glove, size S

5,30 €

Step 1 - Back case

To begin with we will have to take off the back cover, for this we will use a fine enough prong to take off the casing. If necessary, before introducing the tool we could apply heat to the housing with a hot air gun or a thermal mat.





Step 2 - Upper housing

Take off the adhesive that hinders us, and extract the eight Phillips screws (PH # 00) that hold the casing that we are going to lift with the help of a flat tool.



Step 3 - Frontal camera

We take off the adhesive that is above the front camera, disconnect it and remove it.



Step 4 - Components

We disconnect all the flexes that are connected to the motherboard, the coaxial cables, and we also remove the tray from the cards.





Step 5 - Rear cameras

We remove the motherboard, and disconnect the rear cameras that we are going to replace.



