



NadieMeLlamaGallina.com

Porque Yo Lo Reparo

Step by step tutorial: of Samsung Galaxy A51 Fingerprint reader

For this tutorial you will need the following spared parts and tools that you cant get at our online store Impextrom.com
Click on a tool for visit the website.



Fingerprint reader flex for Samsung Galaxy A51, SM-A515F

2,68 €



Set of 5 metal picks for opening

3,09 €



Heat-opening thermal mat, CPB320

69,61 €



BK-7275 (A Version) 5 in 1 screwdriver

6,41 €



SIM card removal tool for all brands

1,61 €



Opening tool Smartphone, tablet

2,19 €



iflex opening tool for smartphones, in Blister

6,64 €




Special SAT 0.75mm high friction PVC pick

1,07 €

Step 1 - Back case


To start, we apply heat to the back shell with a thermal mat for a few minutes, to soften the adhesive, and, with the help of a fine opening tool, we open a small hole to insert the plastic spikes and thus take off the edges of the housing without damaging it.







Step 2 - Framework

We remove the thirteen Phillips screws (PH # 00), extract the card tray with a SIM extraction tool and carefully unhook the frame with a pick.





Step 3 - We disconnect the battery

We disconnect the battery to work more safely.



Step 4 - Fingerprint reader

Finally, we remove the two Phillips screws (PH # 00) and disconnect and remove the fingerprint reader.



