



**NadieMeLlamaGallina.com**

Porque Yo Lo Reparo

## Step by step tutorial: of Woxter Zielo Q26 Speaker

For this tutorial you will need the following spared parts and tools that you cant get at our online store [Impextrom.com](http://Impextrom.com)  
Click on a tool for visit the website.



Head made of  
synthetic carbon steel  
with titanium handle

18,63 €



ESD-12 precision  
antistatic tweezers  
with fine tip

2,17 €



Terminal opening  
tool, plastic

0,71 €

### Step 1 - Woxter Zielo Q26

#### Characteristics:

**Display :** 5 "

**Technology :** IPS

**RAM :** 1 GB

**Graphic Processor :** Quad Core

**CPU :** 1.3 Ghz

**Cam :** 8.0 mpx

**Webcam :** 2.0 mpx

**Android :** Android v 4.3 upgradeable

**Resolution :** 960x540

**Battery :** 1800 mAh

**Dimensions :** 143 x 73 x 9.4 mms.

**Weight :** 167 g.

Before starting make sure the phone is switched off.



## Step 2 - Opening

Remove the back cover with the opening tool, this will avoid scratching the case.



### Step 3

Remove the battery by pulling on the bottom.



## Step 4 - MicroSD card

Remove the microSD card.



## Step 5 - SIM cards

Remove the SIM card (s).








## Step 6 - Screws

Remove the 13 Phillips screws that hold the housing. Including the one hidden behind the letter "W".



## Step 7 - Intermediate housing

Disassemble the intermediate casing, loosening the plastic tabs located around the contour.





## Step 8 - Speaker

Finally, lift off the speaker from the middle housing.

We use the tool with curved tip to detach the component without damaging it.

